



DATA SHEET NO. 2900-1117L

1117L Safety Spheres Glass Beads

DESCRIPTION

Retroreflective pavement markings deliver continuous roadway guidance to drivers and have been proven to increase highway safety. SAFETY SHERES provide cost-effective nighttime roadway delineation.

SAFETY SPHERES are high durable and consistent in quality and composition. Strict quality control produces truly round spheres that optimize retroreflectivity. Proprietary coatings are available to resist agglomeration, ensure flotation for ideal embedment and improve adhesion for greater durability.

USES

SAFETY SPHERES may be applied as a drop-on in all commercial binder materials, including waterborne & solvent paint, epoxy, polyester, thermoplastic, PMMA and polyurea.

PACKAGING

22.7 Kg (50 lb.) Bags.

PRODUCT DATA

Size: 20-80 mesh (850-150 microns); a range of sizes offsets the effects of traffic and binder degradation.

STANDARDS

Complies with Alberta Transportation Specification for Pavement Markings.

APPLICATION

To ensure optimum retroreflective performance and durability, the bead/binder system needs to be applied in the proper manner:

- Apply the spheres immediately following the binder application.
- Apply spheres evenly over the width and length of the marking.
- Embed the spheres to a level of 60%.
- Apply SAFETY SPHERES at the rate of: 2.72-3.63 kgs (6-8 lbs) per 3.78L (1 gal.) of Latex 9.07-10.89 kgs (20-24 lbs) per 3.78L (1 gal) of epoxy.

PRECAUTIONS

Refer to Material Safety Data Sheet for complete Health and Safety information.

TO VERIFY MOST RECENT TECHNICAL DATA SHEET IS BEING USED, VISIT OUR WEBSITE:

www.wrmeadows.com



February 2009

® SEALTIGHT is a registered trade mark of W. R. Meadows

WARRANTY: W. R. Meadows of Western Canada warrants that, at the time and place we make shipment, our materials will be of good quality and will conform with our published specifications in force on the date of acceptance of the order. THE FOREGOING WARRANTY SHALL BE EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER WARRANTIES OTHERWISE ARISING BY OPERATION OF LAW, COURSE OF DEALING, CUSTOM OF TRADE OR OTHERWISE. As the exclusive remedy for breach of this Warranty, we will replace defective materials, provided, however, that the buyer examine the materials when received and promptly notify us in writing of any defect before the materials are used or incorporated into a structure. Three (3) months after W. R. Meadows of Western Canada has shipped the materials, all our Warranty and other duties with respect to the quality of the materials delivered shall conclusively be presumed to have been satisfied, all liability therefore terminates and no action for breach of any such duties may thereafter be commenced. W. R. Meadows of Western Canada shall in no event be liable for consequential damages. Unless otherwise agreed to in writing, no warranty is made with respect to materials not manufactured by W. R. Meadows of Western Canada. We cannot warrant or in any way guarantee any particular method of use or application or the performance of materials under any particular condition. Neither this Warranty nor our liability may be extended or amended by our salesmen, distributors or representatives, or by our distributor's representatives, or by any sales information or drawings.