



W. R. MEADOWS®



DATA SHEET NO. 2900-1180

1180 SS-1 PRIMER

Asphalt Primer

DESCRIPTION

1180 SS-1 PRIMER is an emulsified asphalt, containing selected fillers, designed for use as a tack coat for cold and hot mix patching. It is cold-applied.

USES

1180 SS-1 PRIMER is a cold-applied tack coat to be used when patching asphalt. It can be used in conjunction with both hot- and cold-applied patching compounds when a more adhesive bond is needed.

FEATURES/BENEFITS

- Can be used with both hot- and cold-applied compounds.
- Creates a more adhesive bond.
- Cold-applied.

PACKAGING

18.9 L (5 U.S. Gal.) Pails
 205 L (54.2 U.S. Gal.) Drums
 1000 L (265 U.S. Gal.) Totes*
 *Lightweight Disposable Tote System

COVERAGE

Coverage rate is approximately 2.45 m²/L. (100 ft². /gal.)

SHELF LIFE

When stored indoors in original, unopened containers at temperatures between 4° - 32° C, optimum performance and best use is obtained within two years of date of manufacture.

TECHNICAL DATA

Colour:	Black	
Saybolt Viscosity:	@ 25° C	min. 20
Residue from distillation:	% by mass	min. 60%
Penetration	@ 25° C	105

APPLICATION

Surface Preparation ... Remove all loose material from area to be primed.

Mixing ... Stir thoroughly before using.

Application Method ... Apply 1180 SS-1 PRIMER by broom or spray to repair areas. Make sure edges of repair are primed. Let 1180 SS-1 PRIMER become tacky before applying cold or hot mix.

Clean Up ... Use water to clean up fresh material. Dried material may be cleaned up with mineral spirits.

PRECAUTIONS

DO NOT FREEZE. Minimum application temperature is 10° C. Do not use if there is a possibility of rain. Refer to Safety Data Sheet for complete health and safety information.

MASTERFORMAT NUMBER AND TITLE

32 12 13.16 - Asphaltic Tack Coats

LEED INFORMATION

May help contribute to LEED credits:

- MRc9: Construction and Demolition Waste Management

For most recent data sheet, further LEED information, and SDS, visit www.wrmeadows.com.

2017-11-29



W. R. MEADOWS® OF CANADA

70 Hannant Court, Milton, ON L9T 5C1
 38 Rayborn Crescent, St. Albert, AB T8N 4B1
 (800) 342-5976
 Montreal Sales: (877) 405-5186

Hampshire, IL / Cartersville, GA / York, PA / Fort Worth, TX
 Benicia, CA / Pomona, CA / Goodyear, AZ / Milton, ON
 St. Albert, AB
www.wrmeadows.com