



**DATA SHEET NO. 6062-000**

**REINFORCING FABRIC HCR**  
**Reinforcement Material**

**DESCRIPTION**

REINFORCING FABRIC HCR is a spun-bonded polyester hot/cold reinforcing fabric.

**USES**

REINFORCING FABRIC HCR is designed to be used as a standard reinforcement material for the W. R. MEADOWS line of building envelope products, including HRM 714 and HYDRALASTIC 836. It is used to reinforce the various membranes over cracks, construction joints, and changes-in-plane. The product can also be used with the AIR-SHIELD™ line of air barriers from W. R. MEADOWS for taping of joints for optimum performance. REINFORCING FABRIC HCR can also be used in door and window flashings.

**PACKAGING**

Rolls of:

- 76 mm x 183 m (3" x 600')
- 229 mm x 183 m (9" x 600')
- 300 mm x 183 m (12" x 600')
- 991 mm x 183 m (39" x 600')

**TECHNICAL DATA**

Property	Test Method	Result
Color		White
Unit Weight (g/m <sup>2</sup> )	ASTM D1910	45.77
% Elongation (To Break)	ASTM D2523	42
Tear Strength (kg)	ASTM D2263	3.63
Breaking Strength (kg)	ASTM D2523	11.34

**MASTERFORMAT NUMBER AND TITLE**

07 00 00 – Thermal and Moisture Protection

**LEED INFORMATION**

May help contribute to LEED credits:

- MR Credit 2: Construction Waste Management
- MR Credit 4: Recycled Content
- MR Credit 5: Regional Materials

For further LEED information and MSDS, visit

[www.wrmeadows.com](http://www.wrmeadows.com).

2013-06-28



**W. R. MEADOWS OF CANADA**  
**70 Hannant Court, Milton, ON L9T 5C1**  
**Phone: (905) 878-4122 • Fax: (905) 878-4125**  
**Montreal Sales: (877) 405-5186**

Hampshire, IL/Cartersville, GA/York, PA/Fort Worth, TX  
 Benicia, CA/Pomona, CA/Goodyear, AZ/Milton, ON  
 St. Albert, AB  
[www.wrmeadows.com](http://www.wrmeadows.com)