

# SAFETY DATA SHEET

Page 1 of 2

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product: ASPHALT-SATURATED GLASS FABRIC Part Number: 8641200

Manufacturer: W. R. MEADOWS, INC. Address: 300 Industrial Drive

Hampshire, Illinois 60140

**Telephone:** (847) 214-2100 In case of emergency, dial (800) 424-9300 (CHEMTREC)

**Revision Date:** 1/21/2019

**Product Use:** Glass Fabric Dampproofing

### SECTION 2: HAZARDS IDENTIFICATION/EXPOSURE LIMITS

HMIS

| Health ||0|Product is classified as non-hazardous per OSHA 1910.1200. Glass Fabric| Flammability ||1|Dampproofing is defined by OSHA as an "article." A manufactured item that is| Reactivity ||0|formed to a specific shape or design during manufacture that does not release| Personal Protection || |or result in exposure to a hazardaous chemical under normal use conditions.

#### **SECTION 3: HAZARDS COMPONENTS**

ı		% by	SARA	Vapor Pressure	LEL	
	<b>Chemical Name</b> :	CAS Number	Weight	<u>313</u>	(mm Hg@20°C)	@24°C)
	1. Petroleum Asphalt	8052-42-4	N/A	No	N/A	N/A
	2. Fibrous Glass	65997-17-3	N/A	No	N/A	N/A

Under the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1966 (SARA) and 40 CFR Part 372, chemicals listed on the 313 List (40 CFR Part 373.65) are identified under the heading heading "Sara 313."  $N/A = Not \ Applicable$ 

## **SECTION 4: EMERGENCY AND FIRST AID PROCEDURES**

**EYE CONTACT:** Flush eyes with water to remove particulates.

**SKIN CONTACT:** Flush with water to remove particulates. Wash affected areas with soap and water if available.

**INHALATION:** Not expected to be an exposure route. **INGESTION:** Not expected to be an exposure source.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND CHRONIC: See Section Eleven for Symptoms/Effects

#### **SECTION 5: FIRE AND EXPLOSIVES HAZARDS**

FLASHPOINT: >400 °F

**EXTINGUISHING MEDIA:** Water fog, chemical foam, or carbon dioxide.

CHEMICAL/COMBUSTION HAZARDS: None recognized.

PRECAUTIONS/PERSONAL PROTECTIVE EQUIPMENT: None required with normal product use.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

SPILL OR LEAK PROCEDURES: Not applicable. Product is a solid.

# **SECTION 7: HANDLING AND STORAGE**

SAFE HANDLING PROCEDURES: Avoid direct contact.

SAFE STORAGE: Store in a cool, dry place away from direct sources of heat.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

USHA					ACGIH				
Chemical Name:	<u>PEL</u>	PEL/CEILING	PEL/STEL	SKIN	<u>TLV</u>	TLV/CEILING	TLV/STEL	<u>SKIN</u>	
1. Petroleum Asphalt	5 mg/m <sup>3</sup> *	N/E	N/E	No	0.5 mg/m <sup>3</sup> *	N/E	N/E	N/E	
2. Fibrous Glass	15 mg/m <sup>3</sup> **	N/E	N/E	No	15 mg/m <sup>3</sup> **	N/E	N/E	N/E	
	**:Total Dust		*: Asphalt Fumes		N/E: Not Establishe	ed			

**ENGINEERING CONTROLS:** None required under normal use conditions.

PERSONAL PROTECTIVE EQUIPMENT: Safety glasses, chemical resistant gloves.

### SAFETY DATA SHEET

Date of Preparation: 1/21/19 Page 2 of 2 8641200
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/A VAPOR DENSITY: N/A % VOLATILE BY VOLUME: N/A EVAPORATION RATE: N/A ph level: N/A % VOLATILE BY WEIGHT: N/A

WEIGHT PER GALLON: N/A PRODUCT APPEARANCE: Black Rolled Material VOC CONTENT: N/A

ODOR: None ODOR THRESHOLD: N/D MELTING/FREEZING POINT: N/D

 FLASH POINT: See Section 5
 FLAMMABILITY: N/D
 UEL/LEL: N/D

 VAPOR PRESSURE: N/D
 RELATIVE DENSITY: N/D
 SOLUBILITY: N/D

PARTITION COEFFICENT: N/D AUTOIGNITION TEMPERATURE: N/D DECOMPOSITION TEMPERATURE: N/D

VISCOSITY: N/D N/D: Not Determined

SECTION 10: STABILITY/REACTIVITY

STABILITY: Stable HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS AND MATERIALS TO AVOID: Strong oxidizing agents. HAZARDOUS DECOMPOSITION PRODUCTS: None recognized.

SECTION 11: TOXICOLOGICAL INFORMATION

**EYE CONTACT:** Fibers may cause mechanical irritation. **SKIN CONTACT:** Fibers may cause mechanical irritation.

**INHALATION:** Loose fibers may cause mechanical irritation of the respiratory tract.

INGESTION: This product has a low order of toxicity. If symptoms of gastrointestinal irriation develop, seek medical attention.

SIGNS AND SYMPTOMS: None with normal product use.

AGGRAVATED MEDICAL CONDITIONS: None known with normal product use.

OTHER HEALTH EFFECTS: None recognized.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: N/E DEGRADABILITY: N/E BIOACCUMULATIVE POTENTIAL: N/E

**SOIL MOBILITY:** N/E **OTHER ADVERSE EFFECTS:** None Recognized

SECTION 13: WASTE DISPOSAL INFORMATION

WASTE DISPOSAL INFORMATION: Permitted landfill. Consult Federal, State, and Local regulations for compliance.

**SECTION 14: TRANSPORTATION INFORMATION** 

HAZARDOUS/NON-HAZARDOUS MATERIAL: Not regulated by by DOT.

UN NUMBER: None HAZARD CLASS: N/A PACKING GROUP: N/A

UN PROPER SHIPPING NAME: N/A

ENVIRONMENTAL HAZARDS: None recognized.

BULK TRANSPORTATION INFORMATION: None.

SPECIAL PRECAUTIONS: None.

**SECTION 15: REGULATORY INFORMATION** 

OTHER REGULATORY CONSIDERATIONS: None recognized.

**SECTION 16: OTHER INFORMATION** 

PREPARATION DATE: 1/21/2019
PREPARED BY: Dave Carey

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.