

*** MATERIAL SAFETY DATA SHEET ***

This MSDS is being provided to your company for the purpose of providing current health and safety information to your management and for your employees who work with this material. Please read the information on these sheets, and then provide this information to those people at your company whose responsibility it is to implement the "Workplace Hazardous Materials Information System (WHMIS)". Also make this information available to any employee who requests it.

Date of preparation: 7/06/10

3300-101

SECTION I PRODUCT IDENTIFICATION AND USE

Manufacturer : **W. R. MEADOWS® OF CANADA** - H M I S -
Address : 70 Hannant Court |Health : 1 |
: Milton, Ontario L9T 5C1 |Fire : 2 |
 |Reactivity : 0 |
Telephone # : (905) 878-4122 |Person Protection : |
Emergency # : 1-800-424-9300 Chemtrec

(Hazard Rating: 0=Least,1=Slight,2=Moderate,3=High,4=Extreme,*=Chronic)

Product Class : Class B, Division 3, Combustible Liquids, Class D, Division 2, Subdivision B, Toxic Materials
Product Identification Number: 3300-101
Product Identifier : **3100 R CURING COMPOUND**
Product Use : Concrete Curing Compound

SECTION II HAZARDOUS INGREDIENTS

No. Hazardous Ingredient(s)*	CAS#	% By		LD50	LC50	TLV/TWA	ACGIH		SKIN
		Weight					TLV/Ceiling	TLV/STEL	
1. Stoddard Solvent	8052-41-3	85-90	>5 mg/kg*	>5 mg/kg*	100 ppm	N/E	200 ppm	N/E	

* A more complete disclosure will be provided to a physician or nurse in the event of a medical emergency. None of the components of this product are recognized as carcinogenic.

Component data is defined in accordance with Sub-paragraph 13 (a) (i) to (iv) of the Hazardous Product Act.

N/E = Not established * = Oral, Rat

SECTION III PHYSICAL DATA

Physical State : Liquid Vapour Density : 2.4 (air=1)
Specific Gravity : 0.876 Evaporation Rate : 0.8
Odour/Appearance : Clear liquid, petroleum solvent dyed
Contains red fugitive dye Percent Volatile : 69
Vapour Pressure : 2.4 Freezing Point : <0 degrees C.
pH : N/A Boiling Point : 150 to 200 degrees C.
Odour Threshold : 1-30 ppm (Mineral Spirits)
Coefficient of water/oil distribution: N/A

SECTION IV FIRE AND EXPLOSION DATA

Conditions of Flammability: Ignition sources Autoignition temperature: >350 degrees C.
Means of extinction: Use water fog, dry chemical, carbon dioxide Sensitivity to mechanical impact: No
Flash point and method: 42 degrees C., Tag Closed Cup Sensitivity to static discharge: No
Flammability limits: LEL: 1.1 UEL: 7
Hazardous combustion products: Carbon Monoxide, Carbon Dioxide, and incomplete combustion products

SECTION V REACTIVITY DATA

Chemical stability: Stable
If no, under which conditions:
Incompatibility (materials to avoid): Strong oxidizing agents, strong acids and strong alkalies.
Conditions of reactivity: None
Hazardous decomposition products: None Known

SECTION VI TOXICOLOGICAL PROPERTIES

Route(s) of entry: Inhalation, skin absorption, skin contact
Effect(s) of acute exposure to product:
EYE CONTACT: Based on the presence of component 1 this product is presumed to be moderately irritating to the eyes. Product vapours and/or mists may also be irritating to the eyes.
SKIN CONTACT: Exposure may cause milk skin irritation. Prolonged or repeated contact may cause redness, burning,, drying, and cracking of the skin. Persons with pre-existing skin disorders may e more susceptible to the effects of this material. Based on the presence of component 1 prolonged or repeated contact may result in defatting and drying of the skin which may result in dermatitis.

*** MATERIAL SAFETY DATA SHEET ***

Date of preparation: 7/06/10

3300-101

INHALATION: Exposure may produce irritation to the nose, throat respiratory tract, and other mucous membranes. Based on the presence of component 1 exposure to excessive vapour concentrations may cause signs of transient central nervous system depression, (e.g., headache, drowsiness, loss of coordination, and fatigue).

INGESTION: May cause irritation of the gastrointestinal tract. While this material has a low degree of toxicity, ingestion of excessive quantities may cause signs of central nervous system depression. (e.g., headache, fatigue, drowsiness, dizziness, and loss of coordination).

SIGNS AND SYMPTOMS: Symptoms of eye irritation include pain, tearing, reddening, and swelling. Symptoms of skin irritation include reddening, swelling, rash, and redness. Symptoms of respiratory irritation include runny nose, sore throat, coughing, chest discomfort, shortness of breath, and reduced lung function. Symptoms of gastrointestinal irritation include sore throat, abdominal pain, nausea, vomiting, and diarrhea. Transient central nervous system depression may be evidenced by headache, dizziness, nausea, and symptoms of intoxication; in extreme cases, unconsciousness and death may occur. Symptoms of chronic overexposure include loss of memory, loss of intellectual ability, and loss of coordination.

Exposure limits: See Section II

Effect(s) of chronic exposure to product:

Carcinogenicity: No

Reproductive toxicity: No

Teratogenicity: No

Mutagenicity: No

Synergistic Properties: None Known

SECTION VII

PREVENTIVE MEASURES

Personal protective equipment: Wear safety glasses, goggles, or a splash shield to prevent eye contact. Contact lenses should not be worn. Wear appropriate gloves and protective clothing to prevent contact with skin and clothing.

Engineering controls: Use ventilation as required to control vapour concentrations-at least 10 air changes per hour are recommended for good general room ventilation. If exposure exceeds the PEL/TLV, use the appropriate NIOSH approved respirator.

Leak and spill procedures: LARGE SPILLS>>Evacuate the hazard area of unprotected personnel. Wear appropriate respirator and protective clothing. Shut off source of leak only if safe to do so. Remove/extinguish ignition sources. Dike and contain. If vapour cloud forms, water fog may be used to suppress; contain run-off. Remove with vacuum trucks or pump to storage/salvage vessels. Soak up residue with an absorbent such as clay, sand or other suitable material; place in non-leaking containers for proper disposal. Flush area with water to remove trace residue; dispose of flush solutions as above. SMALL SPILLS>>Take up with an absorbent material and place in non-leaking containers; seal tightly for proper disposal.

Waste disposal: Observe all Provincial, Federal, State and local regulations regarding proper disposal.

Handling procedures/equipment: Handle as a combustible product. All hazard precautions given on this MSDS must be observed in handling empty containers.

Storage requirements: Store in a cool, dry area away from ignition sources. Keep containers closed when not in use.

Special shipping information: None

SECTION VIII

FIRST AID MEASURES

EYE CONTACT: If irritation or redness develops, move victim away from exposure source and into fresh air. Flush eyes with water for fifteen (15) minutes. If symptoms persist, seek medical attention.

SKIN CONTACT: Remove contaminated shoes and clothing. Cleanse affected area(s) thoroughly by washing with mild soap and water..If irritation or redness develops and persists, seek medical attention.

INHALATION: If respiratory symptoms develop, move victim away from exposure source and into fresh air. If symptoms persist, seek medical attention. If victim is not breathing, immediately begin artificial respiration. If breathing difficulties develop, oxygen should be administered by qualified personnel. Seek immediate medical attention.

INGESTION: Do not induce vomiting. Vomiting will cause further damage to the throat. Dilute by giving water or milk to drink if the victim is conscious. Consult a physician, hospital, or poison control center and/or transport to an emergency facility immediately.

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of the product described herein.

SECTION IX

PREPARATION OF MSDS

Prepared by: David Carey

Phone number: (847) 683-4500 Preparation date: 7/06/10
Product Identification Number 3300-101