

MATERIAL SAFETY DATA SHEET

Issued: August 6, 1992
REVISED: February 24, 2009

SECTION 1: PRODUCT INFORMATION

Product Name: ADI-CON CW Plus
Manufacturer: GEMITE PRODUCTS INC.
Address: 1787 Drew Road, Mississauga, ON L5S 1J5
Emergency Phone: US: 888-443-6483 CANADA: 905-672-2020
Chemical Family: CONCRETE ADMIXTURE
CASRN:
T.D.G. Classification:

SECTION 2: HAZARDOUS INGREDIENTS

	%	TLV	CAS NO.
CEMENT	10		65997-15-1
SILICON DIOXIDE	74		14808-60-7

SECTION 3: PHYSICAL DATA

Physical State : DRY POWDER
Odour & Appearance : NO ODOUR, GREY POWDER
Vapour Pressure : N.A.
Vapour Density : N.A.
Evaporation Rate : N.A.
Boiling Point : N.A.
Specific Gravity : 2.78
Solubility in Water : PARTLY SOLUBLE
pH of 5% solution:
pH of 0.5% solution:

SECTION 4: FIRE & EXPLOSION DATA

Flammability: NONFLAMMABLE
Extinguishing Media: N.A.
Special Procedures: N.A.
Flash Point: N.A.
Auto Ignition Temp: N.A.
Hazardous Combustion Products: N.A.
Explosion Hazards: NO FIRE OR EXPLOSION HAZARDS

SECTION 5: REACTIVITY DATA

Conditions Contributing to Instability: N.A.
Incompatibility: Acids
Hazardous Polymerization: N.A.
Reactivity Conditions: HYDRAULIC CEMENT
Hazardous Products of Decomposition: None

SECTION 6: TOXICOLOGICAL PROPERTIES

Route of Entry: EYES, MOUTH, SKIN
Skin Contact: DRY SKIN
Eye Contact: SLIGHT IRRITATION TO EYES
Inhalation: IRRITATION OF THE THROAT
Ingestion: IRRITATION OF THE THROAT

Cont'd...

, cont'd...

EFFECTS OF**CHRONIC EXPOSURE:**

CEMENT DUST CAN CAUSE
INFLAMMATION OF THE TISSUE LINING
THE INTERIOR OF THE NOSE AND
CORNEA OF THE EYE

ACUTE EXPOSURE:

CEMENT AND WET CEMENT MIXTURES CAN DRY
SKIN, CAUSE ALKALI BURNS AND IRRITATE THE EYES AND
RESPIRATORY TRACT

TLV:

N/A

SECTION 7: PREVENTATIVE MEASURES

Protective Equipment**- Gloves Type:**

BARRIER CREAMS, GLOVES

- Respiratory Type:

8500 PARTICLE MASK BY 3M OR EQUIVALENT

- Eye Type:TIGHT FITTING GOGGLES IN DUSTY
ENVIRONMENTS**-Footwear:**

N.A.

- Clothing Type:

CLOTHING TO PREVENT SKIN CONTACT

Leak/ Spill:REMOVE BY DRY CLEAN UP METHODS WHICH MINIMIZE THE
DISPERSION OF DUST**Waste Disposal:**

DISPOSE OF AS COMMON WASTE

HANDLING PROCEDURES**& EQUIPMENT:**

MINIMIZE DUST EXPOSURE

STORAGE NEEDS:

KEEP IN DRY STORAGE

SECTION 8: APPLICABLE CONTROL MEASURES

Engineering Controls: VENTILATION SHOULD BE SUFFICIENT IN VOLUME AND
DISTRIBUTION TO CONTROL DUST EXPOSURE

SECTION 9 FIRST AID MEASURES

Eye Contact:IRRIGATE WITH LARGE AMOUNTS OF WATER. SEEK
MEDICAL ATTENTION IF IRRITATION PERSISTS**Skin Contact:**

WASH EXPOSED AREAS WITH SOAP AND WATER

Inhalation:MOVE PERSON TO FRESH AIR AND SEEK MEDICAL
ATTENTION

, cont'd...

Ingestion: INHALATION IN HARMFUL QUANTITIES IS UNLIKELY TO OCCUR, BUT IF INGESTED, DRINK PLENTY OF WATER AND CONSULT PHYSICIAN. DO NOT INDUCE VOMITING.

SECTION 10: OTHER INFORMATION

* Although the information in this MSDS was obtained from sources, which we believe to be reliable, it cannot be guaranteed. In addition, this information may be used in a manner beyond our knowledge or control This information is therefore provided for advice purposes only, without any representation or warranty express or implied. *

N.A.: NOT APPLICABLE

N.D.: NOT DETERMINED