

# SAFETY DATA SHEET

Page 1 of 3

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**MEADOW-PATCH® 20** Part Number: 3900-422 Product:

Address: Manufacturer: W. R. MEADOWS OF CANADA 70 Hannant Court

Milton, Ontario Canada L9T 5C1

Telephone: (905) 878-4122 In case of emergency, dial (800) 424-9300 (CHEMTREC)

**Revision Date:** 9/1/2020

**Product Use:** Cementitious Patching/Repair Product

# SECTION 2: HAZARDS IDENTIFICATION/EXPOSURE LIMITS

HAZARD STATEMENTS **HMIS** DANGER! |Health| | 2 | |Flammability| May cause cancer. 101 |Reactivity| May cause skin irritation/burns. 0 |Personal Protection| May cause burns to the eyes. May cause skin sensitization. May cause respiratory irritation. Causes lung damage through repeated/prolonged exposures. PRECAUTIONARY STATEMENTS

Avoid direct contact. Avoid dust inhalation.

Use appropriate Personal Protective Equipment.

#### SECTION 3: HAZARDS COMPONENTS

		% by	SARA	Vapor Pressure	LEL
Chemical Name:	<b>CAS Number</b>	Weight	<u>313</u>	(mm Hg@20°C)	(@25°C)
1. Microcrystalline Silicon Dioxide	14808-60-7	45-50	No	N/A	N/A
2. Portland Cement	65997-15-1	35-40	No	N/A	N/A
3. Calcium Aluminate Cement	7778-18-9	1-5	No	N/A	N/A
4. Titanium Dioxide	13463-67-7	1-5	No	N/A	N/A

Under the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1966 (SARA) and 40 CFR Part 372, chemicals listed on the 313 List (40 CFR Part 373.65) are identified under the heading "SARA 313."

# SECTION 4: EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: Immediately flush eyes with water for fifteen (15) minutes. Seek immediate medical attention.

SKIN CONTACT: Remove contaminated shoes/clothing. Flush affected areas with water. If irritation develops/persists, seek medical attention.

INHALATION: Remove victim from exposure source. Treat symptomatically. If symptoms persist, seek medical attention.

**INGESTION:** Do not induce vomiting. If vomiting spontaneously occurs, keep the head below the hips to prevent lung aspiration. Seek immediate medical attention.

MOST IMPORTANT SYMPTOMS/EFFECTS. ACUTE AND CHRONIC: See Section Eleven for Symptoms/Effects.

### **SECTION 5: FIRE AND EXPLOSIVES HAZARDS**

FLASHPOINT: None.

**EXTINGUISHING MEDIA:** Not applicable--product will not burn.

CHEMICAL/COMBUSTION HAZARDS: None recognized. Material will not support combustion.

PRECAUTIONS/PERSONAL PROTECTIVE EQUIPMENT: Avoid inhalation of dust if bags are broken. Use appropriate respiratory protection.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: Evacuate unauthorized personnel. Clean up using methods that will minimize dust creation or wet methods. Avoid inhalation of dust. Place in marked/non-leaking containers for disposal. Flush affected areas to remove trace residue.

# **SECTION 7: HANDLING AND STORAGE**

SAFE HANDLING PROCEDURES: Avoid direct contact with this material as well as the creation of dust.

SAFE STORAGE: Store in cool, dry location away from moisture sources.



#### SAFFTY DATA SHFFT

SAFETY DATA SHEET								
Date of Preparation: 9/1/20 Page 2 of 3 3900-422								
		N 8: EXPOSU			NAL PROTECT	TION		
		OSH	A			ACGI	1	
Chemical Name:	<u>PEL</u>	PEL/CEILING	PEL/STEL	<u>SKIN</u>	<u>TWA</u>	TLV/CEILING	TLV/STEL	<u>SKIN</u>
1. Microcrystalline								
Silicone Dioxide	*See Below	N/E	N/E	N/E	0.025 mg/m <sup>3</sup>	N/E	N/E	N/E
2. Portland Cement	5 mg/m <sup>3</sup>	N/E	N/E	N/E	1 mg/m <sup>3</sup>	N/E	N/E	N/E
3. Calcium Aluminate Cement	15 mg/m <sup>3**</sup>	N/E	N/E	N/E	10 mg/m <sup>3</sup> **	N/E	N/E	N/E
4. Titanium Dioxide	15 mg/m <sup>3**</sup>	N/E	N/E	N/E	10 mg/m <sup>3</sup> **	N/E	N/E	N/E
*: TWA Total Dust (30)	/(%SiO2 + 2) m	g/m³ TWA	Respiratory Fr	action (10)	)/(%SiO2 + 2) m	g/m <sup>3</sup> N/E	: Not Establish	ed
, ,		**: Total Du		g/m³ Respii				
ENGINEERING CONTROLS: Use	equipment to	keep dust level:	-					
PERSONAL PROTECTIVE EQUIP		•		•				
					L PROPERTIES			
BOILING POINT: N/A		VAPOR DENSIT				% VOLATILE BY V	OLUME: N/A	
EVAPORATION RATE: N/A	,	pH LEVEL: 10-1	.2 (hydrated)			% VOLATILE BY W	VEIGHT: N/A	
WEIGHT PER GALLON: N/A	ļ	PRODUCT APPE	ARANCE: Whi	te Powder		VOC CONTENT:	) g/L	
ODOR: No Odor		ODOR THRESHO	OLD: N/D			MELTING/FREEZI	o.	)
FLASH POINT: See Section 5	ļ	FLAMMABILITY: N/D  UEL/LEL: N/D						
VAPOR PRESSURE: N/D	ļ	RELATIVE DENSITY: N/D SOLUBILITY: N/D						
PARTITION COEFFICENT: N/D		AUTOIGNITION		RE: N/D		DECOMPOSITION	I TEMPERATUR	RE: N/D
VISCOSITY: N/D				Applicable		N/D: Not Det		•
		SECTION	10: STABILI			.,		
STABILITY: Stable. HAZARDOUS POLYMERIZATION: Will not occur.								
CONDITIONS AND MATERIALS TO AVOID: When hydrated acids, ammonium salts, aluminum metal.								
HAZARDOUS DECOMPOSITION PRODUCTS: None recognized.								
		SECTION 11:		ICAL INFO	ORMATION			
EYE CONTACT: Direct contact n								
EYE CONTACT: Direct contact may result in severe irritation and possible chemical burns.  SKIN CONTACT: May cause moderate skin irritation. Prolonged contact may result in chemical burns. Prolonged/repeated								
-	contact may cause sensitization reactions in susceptible individuals.							
<b>INHALATION:</b> Exposure may cause moderate irritation of the nose, throat, respiratory tract, and other mucous membranes.								
Inhalation of silica dust may result in lung disease (Silicosis).								
INGESTION: May cause mild to moderate irritation of the digestive tract. May cause stomach upset and vomiting.								
SIGNS AND SYMPTOMS: Symptoms of eye exposure include pain, burning, redness, and swelling. Symptoms of skin irritation								
include redness, burning, swelling, and rash. Symptoms of respiratory irritation include runny nose, shortness of breath, chest								
discomfort, and reduced lung function. Symptoms of gastrointestinal exposure include abdominal pain, nausea, and vomiting.								
AGGRAVATED MEDICAL CONDITIONS: Pre-existing skin, eye, and respiratory disorders may be aggravated by exposure to								
this product.								
OTHER HEALTH EFFECTS: Silicon dioxide is listed by the IARC and NTP as being carcinogenic to humans (IARC Group 1A).								
SECTION 12: ECOLOGICAL INFORMATION								
ECOTOXICITY: N/E			GRADABILITY:			BIOACCUMULATIV	/E POTENTIAL:	N/F
SOIL MOBILITY: N/E			ERSE EFFECTS:	•	_	N/E = Not Est		/ =
					ORMATION	,		
SECTION 13: WASTE DISPOSAL INFORMATION WASTE DISPOSAL INFORMATION: Hydrated material will solidify to a non-hazardous solid. Landfill dispose.								
SECTION 14: TRANSPORTATION INFORMATION								
HAZARDOUS/NON-HAZARDOUS MATERIAL: Non-hazardous material.								
UN NUMBER: None.		ZARD CLASS:		PAG	CKING GROUP:	None.		
UN PROPER SHIPPING NAME:			- · · <del>- ·</del>			- · · <del>- ·</del>		
ENIVERNMENTAL HAZABBOOK	lana							

ENVIRONMENTAL HAZARDS: None.

SPECIAL PRECAUTIONS:

**BULK TRANSPORTATION INFORMATION:** Not applicable; product is not shipped in bulk configuration.

None.

**SAFETY DATA SHEET** 

<b>Date of Preparation:</b>	9/1/20	Page 3 of 3	3900-422
	SE	CTION 15: REGULATORY INFORMATION	
OTHER REGULATORY CON	SIDERATIONS: None.		
		SECTION 16: OTHER INFORMATION	
PREPARATION DATE:	9/1/2020		
PREPARED BY:	Dave Carey		

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.