

SAFETY DATA SHEET

Page 1 of 3

PRODUCT AND COMPANY IDENTIFICATION

Product: **CLAY-TITE™ MASTIC** Part Number: 5126-500 Manufacturer: W. R. MEADOWS OF CANADA Address: 70 Hannant Court

HAZARD STATEMENTS

Milton, Ontario Canada L9T 5C1

Telephone: (905) 878-4122 In case of emergency, dial (800) 424-9300 (CHEMTREC)

Revision Date: 1/9/2024

HMIS

Product Use: Patching Compound

SECTION 2: HAZARDS IDENTIFICATION/EXPOSURE LIMITS

DANGER! |Health| |1| |Flammability| |1| May cause cancer. (Category 1) |Reactivity| 0 | Causes skin irritation. (Category 2) | Personal Protection | I ICauses eye irritation. (Category 2B)

May be harmful if inhaled. (Category 5)

May cause damage to organs through prolonged/repeated exposures. (Category 2)

May cause an allergic skin reaction. (Category 1A)

PRECAUTIONARY STATEMENTS

Avoid direct contact. Avoid dust inhalation.

Use appropriate Personal Protective Equipment.

SECTION 3: HAZARDOUS COMPONENTS

			SARA	Vapor Pressure	LEL	
Chemical Name:	CAS Number	% by Weight	<u>313</u>	(mm Hg@20°C)	(@25°C)	
Microcrystalline Silicon Dioxide	14808-60-7	<1	No	N/A	N/A	
2. Bentonite	1302-78-9	40-70	No	N/A	N/A	
3. Hydrotreated Light Naphthenic						
Distillate	64742-53-6	30-60	No	N/A	N/A	
				A.L.	A. Not Applicabl	۱۵

N/A: Not Applicable

Under the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1966 (SARA) and 40 CFR Part 372, chemicals listed on the 313 List (40 CFR Part 373.65) are identified under the heading "SARA 313."

SECTION 4: EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: Immediately flush eyes with water for fifteen (15) minutes. If irritation persists, seek immediate medical attention.

SKIN CONTACT: Remove contaminated shoes/clothing. Flush affected areas with water. If irritation develops/persists, seek medical attention.

INHALATION: Remove victim from exposure source. Treat symptomatically. If symptoms persist, seek medical attention.

INGESTION: Do not induce vomiting. If vomiting spontaneously occurs, keep the head below the hips to prevent lung aspiration. Seek immediate medical attention.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND CHRONIC: See Section Eleven for Symptoms/Effects.

SECTION 5: FIRE AND EXPLOSIVES HAZARDS

FLASHPOINT: 149 °C

EXTINGUISHING MEDIA: Water fog, foam, carbon dioxide, or dry chemical.

CHEMICAL/COMBUSTION HAZARDS: Carbon monoxide, carbon dioxide, and incomplete combustion products.

PRECAUTIONS/PERSONAL PROTECTIVE EQUIPMENT: Avoid smoke inhalation. Use of full fire fighting equipment, including an SCBA,

is recommended.

SAFETY DATA SHEET

Date of Preparation: 1/9/24 Page 2 of 3 5126-500

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: Evacuate unauthorized personnel. Scrape up spilled material. Flush affected areas to remove clean-up residues. Place in marked/non-leaking containers for disposal.

SECTION 7: HANDLING AND STORAGE

SAFE HANDLING PROCEDURES: Avoid direct contact with this material.

SAFE STORAGE: Store in cool, dry location. Keep containers closed when not in use.

	SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION										
	OSHA					ACGIH					
Chemical Name:	<u>PEL</u>	PEL/CEILING	PEL/STEL	<u>SKIN</u>	<u>TWA</u>	TLV/CEILING	TLV/STEL	<u>SKIN</u>			
1. Microcrystalline											
Silicone Dioxide⁺	*See Below	N/E	N/E	N/E	0.025 mg/m^3	N/E	N/E	N/E			
2. Bentonite [†]	N/E	N/E	N/E	N/E	N/E	N/E	N/E	N/E			
3. Hydrotreated Light											
Naphthenic Distillate	2000 mg/m ³	N/E	N/E	N/E	5 mg/m^3	10 mg/m ³	N/E	N/E			
*: TWA Total Dust	t (30)/(%SiO2 -	+ 2) mg/m ³	TWA Respiratory	y Fraction ((10)/(%SiO2 + 2)	mg/m³	N/E: Not Establish	ed			

[†]: Product in paste form. No exposure anticipated, unless product is abraded.

ENGINEERING CONTROLS: General ventilation is usually sufficient. Local exhaust systems may be used when general ventilation is inadequate.

PERSONAL PROTECTIVE EQUIPMENT: Safety glasses, chemical-resistant gloves.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: 204 °CVAPOR DENSITY: >1% VOLATILE BY VOLUME: N/AEVAPORATION RATE: N/Aph LEVEL: N/A% VOLATILE BY WEIGHT: 4WEIGHT PER GALLON: 10PRODUCT APPEARANCE: Brown PasteVOC CONTENT: 48 g/L

ODOR: Mild Organic ODOR THRESHOLD: N/D MELTING/FREEZING POINT: N/D

FLASH POINT: See Section 5FLAMMABILITY: N/DUEL/LEL: N/DVAPOR PRESSURE: N/DRELATIVE DENSITY: N/DSOLUBILITY: N/D

PARTITION COEFFICENT: N/D AUTOIGNITION TEMPERATURE: N/D DECOMPOSITION TEMPERATURE: N/D

VISCOSITY: N/D N/A = Not Applicable N/D = Not Determined

SECTION 10: STABILITY/REACTIVITY

STABILITY: Stable. HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS AND MATERIALS TO AVOID: Strong oxidizing agents HAZARDOUS DECOMPOSITION PRODUCTS: None recognized.

SECTION 11: TOXICOLOGICAL INFORMATION

EYE CONTACT: Direct contact may result in mild irritation.

SKIN CONTACT: May cause mild skin irritation. Sensitization reactions are possible.

INHALATION: Exposure may cause mild irritation of the nose, throat, respiratory tract, and other mucous membranes.

INGESTION: May cause mild to moderate irritation of the digestive tract.

SIGNS AND SYMPTOMS: Symptoms of eye exposure include pain, burning, redness, and swelling. Symptoms of skin irritation include redness, burning, swelling, and rash. Symptoms of respiratory irritation include runny nose, shortness of breath, chest discomfort, and reduced lung function. Symptoms of gastrointestinal exposure include abdominal pain, nausea, and yomiting.

AGGRAVATED MEDICAL CONDITIONS: Pre-existing skin, eye, and respiratory disorders may be aggravated by exposure to this product. **OTHER HEALTH EFFECTS:** Silicon dioxide is listed by the IARC and NTP as being carcinogenic to humans (IARC Group 1A). Hydrotreated naphthenic distillate is listed as a confirmed human carcinogen (IARC Group 1A).

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: N/E

DEGRADABILITY: N/E

BIOACCUMULATIVE POTENTIAL: N/E

SOIL MOBILITY: N/E

OTHER ADVERSE EFFECTS: N/E

N/E: Not Established

SAFETY DATA SHEET

Date of Preparation: 1/9/24 Page 3 of 3 5126-500

SECTION 13: WASTE DISPOSAL INFORMATION

WASTE DISPOSAL INFORMATION: Not regulated as a hazardous waste in solid form. Landfill dispose.

SECTION 14: TRANSPORTATION INFORMATION

HAZARDOUS/NON-HAZARDOUS MATERIAL: Non-hazardous material.

UN NUMBER: None. HAZARD CLASS: None. PACKING GROUP: None.

UN PROPER SHIPPING NAME: None. ENVIRONMENTAL HAZARDS: None.

BULK TRANSPORTATION INFORMATION: Not applicable; product is not shipped in bulk configuration.

SPECIAL PRECAUTIONS: None.

SECTION 14: TRANSPORTATION INFORMATION

HAZARDOUS/NON-HAZARDOUS MATERIAL: Non-hazardous material.

UN NUMBER: None. HAZARD CLASS: None. PACKING GROUP: None.

UN PROPER SHIPPING NAME: None. ENVIRONMENTAL HAZARDS: None.

BULK TRANSPORTATION INFORMATION: Not applicable; product is not shipped in bulk configuration.

SPECIAL PRECAUTIONS: None.

SECTION 15: REGULATORY INFORMATION

OTHER REGULATORY CONSIDERATIONS: None.

SECTION 16: OTHER INFORMATION

PREPARATION DATE: 1/9/2024 PREPARED BY: Dave Carey

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.