created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 32120** 

CLASSIFICATION: 07 27 26 Fluid-Applied Membrane Air Barriers

PRODUCT DESCRIPTION: Liquid Membrane Air/Vapor & Liquid Moisture Barrier

## Section 1: Summary

## **Basic Method / Product Threshold**

### **CONTENT INVENTORY**

**Inventory Reporting Format** 

C Nested Materials Method

Basic Method

**Threshold Disclosed Per** 

Material

Product

**Threshold Level** 

○ 100 ppm

C 1,000 ppm Per GHS SDS

Other

**Residuals/Impurities Evaluation** 

C Completed

C Partially Completed

Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has: Yes ○ No

Characterized Provided weight and role.

⊙ Yes ○ No Screened

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

#### **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

AIR-SHIELD™ LSR 6530000 [ ALKENES, C12-24, CHLORO LT-UNK CAN BUTYL BENZYL PHTHALATE (BBP)D LT-1 | END | REP | MUL | DEV | CAN | AQU ETHANOL, 2-(2-BUTOXYETHOXY)- LT-P1 | END | EYE | MAM ISOPROPYL ALCOHOL BM-2 | EYE | PHY | MAM | REP PROPYLENE GLYCOL BM-2 | END ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-1, LT-P1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

Composition ranges are provided to protect proprietary information.

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Regulatory (g/l): 115?? Material (g/l): 115

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base

paint when tinted: N/A

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

listings.

VOC emissions: N/A

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

**CONSISTENCY WITH OTHER PROGRAMS** 

No pre-checks completed or disclosed.

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VFRIFIFR-

**VERIFICATION #:** 

SCREENING DATE: 2023-04-05 PUBLISHED DATE: 2023-04-05

EXPIRY DATE: 2026-04-05

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

## AIR-SHIELD™ LSR 6530000

SUBSTANCE NOTES:

**BUTYL BENZYL PHTHALATE (BBP)D** 

PRODUCT THRESHOLD: Per GHS SDS

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities not completed.

OTHER PRODUCT NOTES: Composition ranges are provided to protect proprietary information.

ALKENES, C12-24, CHLO	RO				ID: 68527-02-6
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCRE	EENING DATE:	2023-04-05 13:47:03	
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: FI	lame retardant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	MAK		•	Group 3B - Evidence of carci cient for classification	nogenic effects
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	DN	
RESTRICTED LIST	Cradle to Cradle Products Inno (C2CPII)	ovation Institute		d v4 Product Standard Restri Effective July 1, 2022	icted Substances
			Core Restric	tions	

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE: 202	23-04-05 13:47:04
%: 1.0000 - 5.0000	GreenScreen: LT-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Dis	sruptors	Potential Endocri	ine Disruptor
END	OSPAR - Priority PBTs & EDs & concern	& equivalent	Endocrine Disrup	otor - Substance of Possible Concern
REP	EU - Annex VI CMRs		Reproductive To	xicity - Category 1B
MUL	ChemSec - SIN List		CMR - Carcinoge	en, Mutagen &/or Reproductive Toxican
MUL	German FEA - Substances Haz Waters	zardous to	Class 3 - Severe Hazard to Waters	
DEV	CA EPA - Prop 65		Developmental to	oxicity
DEV	US NIH - Reproductive & Deve	lopmental	Clear Evidence o	f Adverse Effects - Developmental

Monographs

**Toxicity** 

ID: 85-68-7

REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
REP	US NIH - Reproductive & Developmental Monographs	Some Evidence of Adverse Effects - Reproductive Toxicity
CAN	US EPA - IRIS Carcinogens	(1986) Group C - Possible human Carcinogen
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
REP	GHS - Korea	H360 - May damage fertility or the unborn child [Category 1(1B)]
DEV	GHS - Australia	H360Df - May damage the unborn child. Suspected of damaging fertility [Reproductive toxicity - Category 1A or 1B]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H360Df - May damage the unborn child. Suspected of damaging fertility [Reproductive toxicity - Category 1A or 1B]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan GHS - Australia	H400 - Very toxic to aquatic life [Hazardous to the aquatic
	·	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) -
AQU	GHS - Australia	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  Hazardous to the aquatic environment - chronic category
AQU	GHS - Australia GHS - New Zealand	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  Hazardous to the aquatic environment - chronic category 1  H400 - Very toxic to aquatic life [Hazardous to the aquatic
AQU AQU	GHS - Australia GHS - New Zealand GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  Hazardous to the aquatic environment - chronic category 1  H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) -
AQU AQU AQU	GHS - Australia GHS - New Zealand GHS - Korea GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  Hazardous to the aquatic environment - chronic category 1  H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) -
AQU AQU AQU AQU	GHS - Australia  GHS - New Zealand  GHS - Korea  GHS - Korea  GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  Hazardous to the aquatic environment - chronic category 1  H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]  Equivalent Concern - Candidate List: endocrine disrupting properties cause probable serious effects to the

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Bisphenols and Phthalates
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2022
		Red List substances to avoid in Living Building Challenge V4.0 projects
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products

SUBSTANCE NOTES:

# ETHANOL, 2-(2-BUTOXYETHOXY)-

ID: 112-34-5

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2023-04-05 13:47:05
%: 1.0000 - 5.0000	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Anti-freeze
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Dis	sruptors	Potential End	locrine Disruptor
EYE	EU - GHS (H-Statements) Anne	ex 6 Table 3-1		es serious eye irritation [Serious eye irritation - Category 2A]
EYE	GHS - New Zealand		Eye irritation	category 2
EYE	GHS - Australia			es serious eye irritation [Serious eye irritation - Category 2A]
MAM	GHS - Japan		repeated exp	es damage to organs through prolonged or osure [Specific target organs/systemic ving repeated exposure - Category 1]
EYE	GHS - Japan			es serious eye irritation [Serious eye damage / - Category 2A]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products

SUBSTANCE NOTES:

HAZARD DATA SOLIDOE.	Pharos Chemical and Materials Library	HAZADD S	CREENING DATE:	2023-04-05 13:47:05
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-04-05 13:47:05
%: <b>1.0000 - 5.0000</b>	GreenScreen: BM-2	RC: None	NANO: Unknown	SUBSTANCE ROLE: Antimicrobial Pesticio
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	EU - GHS (H-Statements) Anne	ex 6 Table 3-1		s serious eye irritation [Serious eye rritation - Category 2A]
PHY	EU - GHS (H-Statements) Anne	ex 6 Table 3-1	H225 - Highly liquids - Cateo	flammable liquid and vapour [Flammable gory 2]
EYE	GHS - New Zealand		Eye irritation of	category 2
EYE	GHS - Australia			s serious eye irritation [Serious eye rritation - Category 2A]
MAM	GHS - Japan		repeated expo	s damage to organs through prolonged or osure [Specific target organs/systemic ing repeated exposure - Category 1]
MAM	GHS - Japan			s damage to organs [Specific target nic toxicity following single exposure -
REP	GHS - Japan			cted of damaging fertility or the unborn child oduction - Category 2]
PHY	GHS - New Zealand		Flammable liq	uids category 2
PHY	GHS - Japan		H225 - Highly liquids - Cateç	flammable liquid and vapour [Flammable gory 2]
PHY	GHS - Malaysia		H225 - Highly liquids - Cateç	flammable liquid and vapour [Flammable gory 2]
PHY	GHS - Australia		H225 - Highly liquids - Cateç	flammable liquid and vapour [Flammable gory 2]
EYE	GHS - Malaysia			s serious eye irritation [Serious eye rritation - Category 2A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	N
RESTRICTED LIST	Green Science Policy Institute	(GSPI)	GSPI - Six Cla	sses of Problematic Chemicals
			Antimicrobials	

SUBSTANCE NOTES:

PROPYLENE GLYCOL ID: 57-55-6

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2023-04-05 13:47:06	
%: 1.0000 - 5.0000	GreenScreen: BM-2	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Antimicrobial Pesticide	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine Dis	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute	(GSPI)	GSPI - Six CI	asses of Problematic Chemicals	
			Some Solven	nts	
RESTRICTED LIST	Green Science Policy Institute	(GSPI)	GSPI - Six CI	asses of Problematic Chemicals	
			Antimicrobia	ls	
POSITIVE LIST	US Environmental Protection A EPA)	gency (US	US EPA - Df	E Safer Chemicals Ingredients list (SCIL)	
	,		Enzymes and Concern)	d Stabilizers - Green Circle (Verified Low	

SUBSTANCE NOTES:

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** 

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All.

**CERTIFICATE URL:** 

**EXPIRY DATE:** 

ISSUE DATE: 2023-01-05

**CERTIFIER OR LAB: None** 

N/A

**CERTIFICATION AND COMPLIANCE NOTES:** 

**VOC CONTENT EPA Method 24 - Volatile Matter Content (EPA 24)** 

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All.

**CERTIFICATE URL:** 

**CERTIFICATION AND COMPLIANCE NOTES:** 

ISSUE DATE: 2023-01-05 **EXPIRY DATE:** 

CERTIFIER OR LAB: None.



# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

## Section 5: General Notes

Residuals/Impurities have not provided to the manufacturer.

#### **MANUFACTURER INFORMATION**

MANUFACTURER: W. R. MEADOWS

ADDRESS: 300 Industrial Drive

Hampshire Illinois 60140, United States

WEBSITE: https://www.wrmeadows.com/

CONTACT NAME: Kimberly Ann Lombardozzi

TITLE: Sustainability Manager

PHONE: 847-214-2100

EMAIL: klombardozzi@wrmeadows.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

## KEY

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**LAN** Land toxicity

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

#### **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

## Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.